

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6614792".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 08:59
S2	55	("4823338" "4975906" "5214646" "5280476" "5280481" "5291477" "5315582" "5321693" "5321694" "5329527" "5329619" "5345558" "5361256" "5390184" "5394402" "5408469" "5420862" "5444702" "5455865" "5483536" "5491690" "5495479" "5519704" "5544327" "5548646" "5548723" "5550816" "5550818" "5566014" "5583865" "5590118" "5600638" "5600644" "5603029" "5629930" "5633869" "5649108" "5659542" "5666487" "5673263" "5835481" "5870589" "5898669" "5909441" "6081836" "6169739" "6178171" "6411625" "6452921").PN. OR ("6614792").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 08:59
S3	160315	atm\$1 (asynchronous\$2 near2 transfer\$1 near2 mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:36
S4	752946	ip (internet near2 protocol \$1) internet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:36
S5	7672	mpls (multi\$1protocol\$1 near2 (lable\$1 label\$1) near2 (system\$1 switch \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:37

S6	255331	(protection\$1 back\$1up\$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by\$1) with (path\$1 link\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:39
S7	8007	mpls (multi\$1protocol\$1 near2 (lable\$1 label\$1) near2 (system\$1 switch\$3)) (mpoa (multi\$1protocol\$1 near2 over near2 atm) (multiprotocol\$1 near4 atm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:58
S8	3568	(S3 and S4) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:58
S9	1219	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:58
S10	148	((router\$1 switch\$3 forward\$4) near3 (shelf\$1 platform\$1 center\$1)) and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:59
S11	13800	(rout\$3 switch\$3 forward\$3) same ((protection\$1 back\$1up\$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by\$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error\$1 connectionless (loss near2 (signal\$1 carrier\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:03
S12	604	S11 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:04

S13	1661	(re\$1rout\$3 re\$1switch\$3 re\$1forward\$3) same ((protection\$1 back\$1up \$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by \$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:06
S14	259	S13 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:06
S15	1847	(return\$3) same ((protection\$1 back\$1up \$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by \$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:06
S16	39	S15 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:07
S17	47994	(S3 and S4) S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:08
S18	14661	S11 S13 S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S19	734	370/249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S20	496	370/395.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09

S21	653	370/395.52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S22	7718	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S23	790	370/419.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S24	1456	370/469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S25	883	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S26	2162	370/400.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S27	498	370/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S28	281	370/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S29	230	370/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09
S30	551	370/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:09

S31	860	370/395.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S32	235	370/395.32.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S33	206	714/716.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S34	111	714/717.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S35	3501	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S36	1526	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S37	8082	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S38	8290	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S39	8290	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S40	3865	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10

S41	981	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S42	296	709/243.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:10
S43	35592	S19 S20 S21 S22 S23 S24 S25 S26 S27 S28 S29 S30 S31 S32 S33 S34 S36 S37 S38 S39 S40 S41 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:11
S44	81339	((router\$1 switch\$3 forward\$4) near3 (shelf\$1 platform\$1 center\$1 cabinet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:12
S45	388002	(loopback\$1 loopback\$1 backplane\$1 path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:13
S46	134468	(rout\$3 switch\$3 forward \$3 re\$1rout\$3 re\$1switch \$3 re\$1forward\$3 return \$3) same (loopback\$1 loopback\$1 backplane\$1 path\$1 link\$1 connection \$1 route\$1)) same (fault \$1 fail\$4 error\$1 connectionless (loss near2 (signal\$1 carrier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:14
S47	13800	(rout\$3 switch\$3 forward \$3) same ((protection\$1 back\$1up\$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by\$1) with (path \$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error\$1 connectionless (loss near2 (signal\$1 carrier\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:18

S48	1661	(re\$1rout\$3 re\$1switch\$3 re\$1forward\$3) same ((protection\$1 back\$1up \$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by \$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:18
S49	1847	(return\$3) same ((protection\$1 back\$1up \$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by \$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:18
S50	3568	(S3 and S4) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:19
S51	332	S50 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:19
S52	388002	S46 S45 S47 S48 S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:19
S53	115	S43 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:19
S54	14298	S43 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:20
S55	763	S50 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:20

S56	19710	(re\$1rout\$3 re\$1switch\$3 re\$1forward\$3 return\$3) with (loopback\$1 loopback \$1 backplane\$1 path\$1 link \$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:21
S57	1992	S56 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:22
S58	184	S57 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:22
S59	2	"7333427".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:26
S60	10	("5509123" "5918074" "5951649" "6094435" "6160811" "6259699" "6829237" "6879559" "6885635" "6894970"). PN. OR ("7333427"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:26
S61	1	"6982049".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:28
S62	1	"6928049".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:28
S63	8	("5751710" "5802333" "5892932" "5923643" "6154449" "6373840"). PN. OR ("6928049"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:28
S64	1	"6530032".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:29
S65	37	("5995485" "6075766" "6134671" "6137774" "6327669" "6374303" "6430150").PN. OR ("6530032").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:29
S66	1	"6611522".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:29

S67	71	("5822319" "5892924" "5903559" "6021263" "6097722" "6115373"). PN. OR ("6611522"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:29
S68	1	"20040143781"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:31
S69	0	("2004/0143781").URPN.	USPAT	OR	OFF	2008/12/04 10:31
S71	4863	(loopback\$1 loopback\$1 backplane\$1)) same (fault \$1 fail\$4 error\$1 connectionless (loss near2 (signal\$1 carrier\$1)) and (line\$1 near2 card\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:32
S72	80	(line near2 card\$1) and (return\$3) same ((protection\$1 back\$1up \$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by \$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:33
S73	150	(line near2 card\$1) and (re \$1rout\$3 re\$1switch\$3 re \$1forward\$3) same ((protection\$1 back\$1up \$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by \$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:34
S74	1077	(line near2 card\$1) and (rout\$3 switch\$3 forward \$3) same ((protection\$1 back\$1up\$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by\$1) with (path \$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error\$1 connectionless (loss near2 (signal\$1 carrier\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:34
S75	2	((EDWARD) near2 (SIERECKI)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 10:35

S76	244	S74 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:35
S77	184412	((rout\$3 switch\$3 forward \$3 re\$1rout\$3 re\$1switch \$3 re\$1forward\$3 return \$3) with (loopback\$1 loopback\$1 backplane\$1 path\$1 link\$1 connection \$1 route\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 14:21
S78	90740	(fault\$1 fail\$4 error\$1 connectionless (loss near2 (signal\$1 carrier\$1))).clm.	US-PGPUB	OR	OFF	2008/12/04 14:21
S79	65614	((rout\$3 switch\$3 forward \$3 re\$1rout\$3 re\$1switch \$3 re\$1forward\$3 return \$3) with (loopback\$1 loopback\$1 backplane\$1 path\$1 link\$1 connection \$1 route\$1)).clm.	US-PGPUB	OR	OFF	2008/12/04 14:21
S80	7048	S78 and S79	US-PGPUB	OR	OFF	2008/12/04 14:21
S81	45	(line near2 card\$1) and (rout\$3 switch\$3 forward \$3) with ((protection\$1 back\$1up\$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by\$1) with (path \$1 link\$1 connection\$1 route\$1)) with (fault\$1 fail \$4 error\$1 connectionless (loss near2 (signal\$1 carrier\$1))).clm.	US-PGPUB	OR	OFF	2008/12/04 14:23
S82	6	(line near2 card\$1) and (re \$1rout\$3 re\$1switch\$3 re \$1forward\$3) same ((protection\$1 back\$1up \$1 backup\$1 secondary spare\$1 alternate\$3 redundant\$1 stand\$1by \$1) with (path\$1 link\$1 connection\$1 route\$1)) same (fault\$1 fail\$4 error \$1 connectionless (loss near2 (signal\$1 carrier \$1))).clm.	US-PGPUB	OR	OFF	2008/12/04 14:24
S83	74469	(ip (internet near2 protocol \$1) internet\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 14:24

S84	12588	(atm\$1 (asynchronous\$2 near2 transfer\$1 near2 mode\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 14:25
S85	1233	(mpls (multi\$1protocol\$1 near2 (lable\$1 label\$1) near2 (system\$1 switch \$3)) (mpoa (multi \$1protocol\$1 near2 over near2 atm) (multiprotocol \$1 near4 atm))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 14:25
S86	2959	(S83 and S84) S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 14:25
S87	232	S86 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 14:25

12/ 5/ 2008 9:44:02 AM

C:\Documents and Settings\rpasia\My Documents\EAST\Workspaces\10718529amend02.wsp